

Declare.™



Trifab™ 451T and Trifab™ 601T Framing Systems Kawneer Company, Inc.

Final Assembly: Bloomsburg, PA, USA

Life Expectancy: 40+ Years

End of Life Options: Recyclable (85-90%), Landfill
(10-15%)

Ingredients:

**Frame: Anodized Aluminum; Thermal &
Weathering: Polyurethane Foams, Bicyclo[2.2.1]
hept-2-ene, 5-ethylidene-, Polymer with
Ethene and 1-propene, Carbon Black,
Acrylonitrile Butadiene Styrene Copolymer,
Clay, Calcium Carbonate, Calcium Oxide,
Dicumyl Peroxide, Polyethylene, Zinc Oxide,
1,4-Diazabicyclo[2.2.2]octane, Silicic acid,
Aluminum Potassium Sodium Salt; Fasteners:
Stainless Steel**

Living Building Challenge Criteria:

KAW-2011
VOC Content: N/A

EXP. 01 JULY 2020
VOC Emissions: N/A

Declaration Status

- LBC Red List Free
- LBC Compliant
- Declared

Declare.™



Trifab™ 451T and Trifab™ 601T Framing Systems Kawneer Company, Inc.

Final Assembly: Lethbridge, Alberta, Canada

Life Expectancy: 40+ Years

End of Life Options: Recyclable (85-90%), Landfill
(10-15%)

Ingredients:

**Frame: Anodized Aluminum; Thermal &
Weathering: Polyurethane Foams, Bicyclo[2.2.1]
hept-2-ene, 5-ethylidene-, Polymer with
Ethene and 1-propene, Carbon Black,
Acrylonitrile Butadiene Styrene Copolymer,
Clay, Calcium Carbonate, Calcium Oxide,
Dicumyl Peroxide, Polyethylene, Zinc Oxide,
1,4-Diazabicyclo[2.2.2]octane, Silicic acid,
Aluminum Potassium Sodium Salt; Fasteners:
Stainless Steel**

Living Building Challenge Criteria:

KAW-2012
VOC Content: N/A

EXP. 01 JULY 2020
VOC Emissions: N/A

Declaration Status

- LBC Red List Free
- LBC Compliant
- Declared

Declare.™



Trifab™ 451T and Trifab™ 601T Framing Systems Kawneer Company, Inc.

Final Assembly: Visalia, CA, USA

Life Expectancy: 40+ Years

End of Life Options: Recyclable (85-90%), Landfill (10-15%)

Ingredients:

Frame: Anodized Aluminum; **Thermal & Weathering:** Polyurethane Foams, Bicyclo[2.2.1]hept-2-ene, 5-ethylidene-, Polymer with Ethene and 1-propene, Carbon Black, Acrylonitrile Butadiene Styrene Copolymer, Clay, Calcium Carbonate, Calcium Oxide, Dicumyl Peroxide, Polyethylene, Zinc Oxide, 1,4-Diazabicyclo[2.2.2]octane, Silicic acid, Aluminum Potassium Sodium Salt; **Fasteners:** Stainless Steel

Living Building Challenge Criteria:

KAW-2013
VOC Content: N/A

EXP. 01 JULY 2020
VOC Emissions: N/A

Declaration Status

- LBC Red List Free
- LBC Compliant
- Declared