

# Declare.™

## Trifab™ 451UT and Trifab™ 601UT Framing Systems Kawneer Company, Inc.

**Final Assembly:** Bloomsburg, PA, USA

**Life Expectancy:** 40+ Years

**End of Life Options:** Recyclable (90-95%), Landfill  
(5-10%)

### Ingredients:

**Frame: Anodized Aluminum; Thermal & Weathering: Polyurethane Foams, Bicyclo[2.2.1]hept-2-ene, 5-ethylidene-, Polymer with Ethene and 1-propene, Carbon Black, Acrylonitrile, Butadiene Styrene Copolymer, Clay, Polypropylene, Calcium Carbonate, Calcium Oxide, Dicumyl Peroxide, Polyethylene, Zinc Oxide, White Mineral Oil (Petroleum), 1,4-Diazabicyclo[2.2.2]Octane, Silicic acid, Aluminum Potassium Sodium Salt, Siloxanes and Silicones, di-Me, Me Vinyl, Vinyl Group-Terminated; Fasteners: Stainless Steel**

### Living Building Challenge Criteria:

KAW-2014

VOC Content: N/A

### Declaration Status

EXP. 01 JULY 2020

VOC Emissions: N/A

- LBC Red List Free
- LBC Compliant
- Declared

# Declare.™



---

## Trifab™ 451UT and Trifab™ 601UT Framing Systems Kawneer Company, Inc.

**Final Assembly:** Lethbridge, AB, Canada

**Life Expectancy:** 40+ Years

**End of Life Options:** Recyclable (90-95%), Landfill  
(5-10%)

---

**Ingredients:**

**Frame: Anodized Aluminum; Thermal & Weathering: Polyurethane Foams, Bicyclo[2.2.1]hept-2-ene, 5-ethylidene-, Polymer with Ethene and 1-propene, Carbon Black, Acrylonitrile, Butadiene Styrene Copolymer, Clay, Polypropylene, Calcium Carbonate, Calcium Oxide, Dicumyl Peroxide, Polyethylene, Zinc Oxide, White Mineral Oil (Petroleum), 1,4-Diazabicyclo[2.2.2]Octane, Silicic acid, Aluminum Potassium Sodium Salt, Siloxanes and Silicones, di-Me, Me Vinyl, Vinyl Group-Terminated; Fasteners: Stainless Steel**

---

**Living Building Challenge Criteria:**

KAW-2015

VOC Content: N/A

**Declaration Status**

EXP. 01 JULY 2020

VOC Emissions: N/A

- LBC Red List Free
- LBC Compliant
- Declared

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY

INTERNATIONAL LIVING FUTURE INSTITUTE™ [declareproducts.com](http://declareproducts.com)

# Declare.™



---

## Trifab™ 451UT and Trifab™ 601UT Framing Systems Kawneer Company, Inc.

**Final Assembly:** Visalia, CA, USA

**Life Expectancy:** 40+ Years

**End of Life Options:** Recyclable (90-95%), Landfill  
(5-10%)

**Ingredients:**

---

**Frame: Anodized Aluminum; Thermal & Weathering: Polyurethane Foams, Bicyclo[2.2.1]hept-2-ene, 5-ethylidene-, Polymer with Ethene and 1-propene, Carbon Black, Acrylonitrile, Butadiene Styrene Copolymer, Clay, Polypropylene, Calcium Carbonate, Calcium Oxide, Dicumyl Peroxide, Polyethylene, Zinc Oxide, White Mineral Oil (Petroleum), 1,4-Diazabicyclo[2.2.2]Octane, Silicic acid, Aluminum Potassium Sodium Salt, Siloxanes and Silicones, di-Me, Me Vinyl, Vinyl Group-Terminated; Fasteners: Stainless Steel**

**Living Building Challenge Criteria:**

---

KAW-2016

VOC Content: N/A

**Declaration Status**

EXP. 01 JULY 2020

VOC Emissions: N/A

- LBC Red List Free
- LBC Compliant
- Declared