


Kawneer

350 Heavy Wall™ IR Entrances, Trifab 450 Framing, Entrance
Details, Hurricane Impact - 9/16" Infill (Wet Glazed)



① Presentation

KAWNEER AN ARCONIC COMPANY

555 Guthridge Ct.
Technology Park/Atlanta
Norcross, GA 30092 USA
Tel: + 1 770 449 5555

KAWNEER
AN ARCONIC COMPANY




② Basic Wall Example
1 1/2" x 1'-0"




① Section
1 1/2" x 1'-0"

KAWNEER AN ARCONIC COMPANY


555 Guthridge Ct.
Technology Park/Atlanta
Norcross, GA 30092 USA
Tel: + 1 770 449 5555




ENTRANCE-HEADER-SINGLE ACTING
FOR SURFACE CLOSER-DETAIL-1
①
6" = 1'-0"




ENTRANCE-HEADER-SINGLE ACTING
FOR CONCEALED CLOSER-DETAIL-1A
②
6" = 1'-0"




ENTRANCE-STD 6-1/2" BOTTOM
RAIL-SINGLE ACTING-DETAIL-2
③
6" = 1'-0"



ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH OFFSET PIVOT/BUTT
HINGE-DETAIL-3
④
6" = 1'-0"




ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH CONTINUOUS
HINGE-DETAIL-3A
⑤
6" = 1'-0"




⑥ ENTRANCE-MEETING STILE-DETAIL-4
6" = 1'-0"

KAWNEER AN ARCONIC COMPANY


555 Guthridge Ct.
Technology Park/Atlanta
Norcross, GA 30092 USA
Tel: + 1 770 449 5555




ENTRANCE-HEADER-SINGLE ACTING
FOR SURFACE CLOSER-DETAIL-1
①
S = 1'-0"




ENTRANCE-HEADER-SINGLE ACTING
FOR CONCEALED CLOSER-DETAIL-1A
②
S = 1'-0"




ENTRANCE-STD 6-1/2" BOTTOM
RAIL-SINGLE ACTING-DETAIL-2
③
S = 1'-0"



ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH OFFSET PIVOT/BUTT
HINGE-DETAIL-2
④
S = 1'-0"




ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH CONTINUOUS
HINGE-DETAIL-3A
⑤
S = 1'-0"




ENTRANCE-MEETING STILE-DETAIL-4
⑥
S = 1'-0"

KAWNEER AN ARCONIC COMPANY


555 Guthridge Ct.
Technology Park/Atlanta
Norcross, GA 30092 USA
Tel: + 1 770 449 5555




ENTRANCE-HEADER-SINGLE ACTING
FOR SURFACE CLOSER-DETAIL-1
0' = 1'-0"




ENTRANCE STD 6-1/2" BOTTOM
RAIL-SINGLE ACTING-DETAIL-2
0' = 1'-0"



ENTRANCE-MEETING STILE-DETAIL-4
0' = 1'-0"




ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH OFFSET PIVOT/BUTT
HINGE-DETAIL-3
0' = 1'-0"




ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH CONTINUOUS HINGE-
DETAIL-3A
0' = 1'-0"

KAWNEER AN ARCONIC COMPANY


555 Guthridge Ct.
Technology Park/Atlanta
Norcross, GA 30092 USA
Tel: + 1 770 449 5555




ENTRANCE-TRANSOM HEAD
① STANDARD-DETAIL-1
6" = 1'-0"




ENTRANCE-TRANSOM HEAD OPTIONAL
② ONE-PIECE-DETAIL-1A
6" = 1'-0"




ENTRANCE-TRANSOM HEAD OPTIONAL
③ CURVED-DETAIL-1B
6" = 1'-0"




ENTRANCE-HEADER-WITH OFFSET
④ PIVOT-DETAIL-3
6" = 1'-0"




TRANSOM BAR-SINGLE ACTING
CONCEALED CLOSER WITH OFFSET
⑤ PIVOT-DETAIL-2
6" = 1'-0"




ENTRANCE-STD 6-1/2" BOTTOM
RAIL-SINGLE ACTING-DETAIL-4
6" = 1'-0"




ENTRANCE-DOOR JAMB AT TRANSOM
AREA-WITH SIDELIGHT/POCKET
INSERT-DETAIL-5
6" = 1'-0"




ENTRANCE-DOOR JAMB AT TRANSOM
AREA-WITH POCKET INSERT-DETAIL-6
6" = 1'-0"




⑦ ENTRANCE-MEETING STILE-DETAIL-7
6" = 1'-0"




ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH OFFSET PIVOT/BUTT
HINGE WITH SIDELITE-DETAIL-6
6" = 1'-0"



ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH CONTINUOUS HINGE
WITH SIDELITE-DETAIL-6A
6" = 1'-0"




ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH OFFSET PIVOT/BUTT
HINGE-DETAIL-6
6" = 1'-0"




ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH CONTINUOUS
HINGE-DETAIL-6A
6" = 1'-0"

KAWNEER AN ARCONIC COMPANY


555 Guthridge Ct.
Technology Park/Atlanta
Norcross, GA 30092 USA
Tel: +1 770 449 5555




ENTRANCE-TRANSOM HEAD
① STANDARD-DETAIL-1
6" = 1'-0"




ENTRANCE-TRANSOM HEAD OPTIONAL
② ONE PIECE-DETAIL-1A
6" = 1'-0"




ENTRANCE-TRANSOM HEAD OPTIONAL
③ CURVED-DETAIL-1B
6" = 1'-0"




ENTRANCE-HEADER WITH OFFSET
④ PIVOT-DETAIL-3
6" = 1'-0"




TRANSOM BAR SINGLE ACTING
CONCEALED CLOSER WITH OFFSET
⑤ PIVOT-DETAIL-2
6" = 1'-0"




ENTRANCE-STD 6-1/2" BOTTOM
RAIL-SINGLE ACTING-DETAIL-4
6" = 1'-0"




ENTRANCE-DOOR JAMB AT TRANSOM
AREA WITH SIDELIGHT/POCKET
INSERT-DETAIL-5
6" = 1'-0"




ENTRANCE-DOOR JAMB AT TRANSOM
AREA WITH POCKET INSERT-DETAIL-6
6" = 1'-0"




ENTRANCE-MEETING STILE-DETAIL-7
6" = 1'-0"




ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH CONTINUOUS HINGE
WITH SIDELITE-DETAIL-8A
6" = 1'-0"



ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH OFFSET PIVOT/BUTT
HINGE WITH SIDELITE-DETAIL-8
6" = 1'-0"




ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH OFFSET PIVOT/BUTT
HINGE-DETAIL-8
6" = 1'-0"




ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH CONTINUOUS HINGE-
DETAIL-8A
6" = 1'-0"

KAWNEER AN ARCONIC COMPANY


555 Guthridge Ct.
Technology Park/Atlanta
Norcross, GA 30092 USA
Tel: +1 770 449 5555




ENTRANCE-HEADER-SINGLE ACTING
FOR SURFACE CLOSER-DETAIL-1
①
6\" = 1'-0"




ENTRANCE-HEADER-SINGLE ACTING
FOR CONCEALED CLOSER-DETAIL-1A
②
6\" = 1'-0"




ENTRANCE-STD 6-1/2\"/>



ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH OFFSET PIVOT/BUTT
HINGE-DETAIL-3
③
6\" = 1'-0"




ENTRANCE - DOOR JAMB-SINGLE
ACTING WITH CONTINUOUS HINGE-
DETAIL-3A
⑤
6\" = 1'-0"




④ ENTRANCE-MEETING STILE-DETAIL-4
6\" = 1'-0"

KAWNEER AN ARCONIC COMPANY


555 Guthridge Ct.
Technology Park/Atlanta
Norcross, GA 30092 USA
Tel: + 1 770 449 5555




ENTRANCE-HEADER-SINGLE ACTING
FOR SURFACE CLOSER-DETAIL-1
6" = 1'-0"




ENTRANCE-HEADER-SINGLE ACTING
FOR CONCEALED CLOSER-DETAIL-3A
6" = 1'-0"




ENTRANCE-STD 6-1/2" BOTTOM
RAIL-SINGLE ACTING-DETAIL-2
6" = 1'-0"




ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH OFFSET PIVOT/BUTT
HINGE-DETAIL-3
6" = 1'-0"




ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH CONTINUOUS HINGE-
DETAIL-3A
6" = 1'-0"




ENTRANCE-MEETING STILE-DETAIL-4
6" = 1'-0"




ENTRANCE-TRANSOM HEAD
STANDARD-DETAIL-1
6" = 1'-0"




ENTRANCE-TRANSOM HEAD OPTIONAL
ONE-PIECE-DETAIL-1A
6" = 1'-0"




ENTRANCE-TRANSOM HEAD OPTIONAL
CURVED-DETAIL-1B
6" = 1'-0"




ENTRANCE-HEADER-WITH OFFSET
PIVOT-DETAIL-3
6" = 1'-0"




TRANSOM BAR-SINGLE ACTING
CONCEALED CLOSER WITH OFFSET
PIVOT-DETAIL-2
6" = 1'-0"




ENTRANCE-STD. 6-1/2" BOTTOM
RAIL-SINGLE ACTING-DETAIL-4
6" = 1'-0"




ENTRANCE-DOOR JAMB AT TRANSOM
AREA-WITH SIDE LIGHT-POCKET
INSERT-DETAIL-5
6" = 1'-0"




ENTRANCE-DOOR JAMB AT TRANSOM
AREA-WITH POCKET INSERT-DETAIL-6
6" = 1'-0"




ENTRANCE-MEETING STILE-DETAIL-8
6" = 1'-0"




ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH CONTINUOUS HINGE
WITH SIDE-LITE-DETAIL-2A
6" = 1'-0"



ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH OFFSET PIVOT/BUTT
HINGE WITH SIDE-LITE-DETAIL-7
6" = 1'-0"



ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH OFFSET PIVOT/BUTT
HINGE-DETAIL-9
6" = 1'-0"




ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH CONTINUOUS HINGE-
DETAIL-3A
6" = 1'-0"

KAWNEER AN ARCONIC COMPANY


555 Guthridge Ct.
Technology Park/Atlanta
Norcross, GA 30092 USA
Tel: +1 770 449 5555

Kawneer


500 Heavy Wall™ IR Entrances, IR 501 Framing, Entrance Details, Hurricane Impact - 1-5/16" Infill (Wet Glazed)




ENTRANCE - TRANSOM HEAD
STANDARD DETAIL-1
①
6" = 1'-0"




ENTRANCE-TRANSOM HEAD OPTIONAL
ONE PIECE DETAIL-1A
②
6" = 1'-0"




ENTRANCE-TRANSOM HEAD OPTIONAL
CURVED DETAIL-1B
③
6" = 1'-0"




ENTRANCE-HEADER-WITH OFFSET
PIVOT DETAIL-3
④
6" = 1'-0"




TRANSOM BAR-SINGLE ACTING
CONCEALED CLOSER WITH OFFSET
PIVOT DETAIL-2
⑤
6" = 1'-0"




ENTRANCE-STD 6-1/2" BOTTOM
RAIL-SINGLE ACTING DETAIL-4
⑥
6" = 1'-0"




ENTRANCE-DOOR JAMB AT TRANSOM
AREA-WITH SIDELIGHT/POCKET
INSET DETAIL-5
⑦
6" = 1'-0"




ENTRANCE-DOOR JAMB AT TRANSOM
AREA-WITH POCKET INSET DETAIL-6
⑧
6" = 1'-0"




ENTRANCE-MEETING STILE DETAIL-8
⑨
6" = 1'-0"




ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH CONTINUOUS HINGE
WITH SIDELITE DETAIL-7A
⑩
6" = 1'-0"



ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH OFFSET PIVOT/BUTT
HINGE WITH SIDELITE DETAIL-7
⑪
6" = 1'-0"



ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH OFFSET PIVOT/BUTT
HINGE DETAIL-9
⑫
6" = 1'-0"



ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH CONTINUOUS HINGE
DETAIL-8A
⑬
6" = 1'-0"


KAWNEER AN ARCONIC COMPANY

555 Guthridge Ct.
Technology Park/Atlanta
Norcross, GA 30092 USA
Tel: +1 770 449 5555


KAWNEER
AN ARCONIC COMPANY

Kawneer


350 Heavy Wall™ IR Entrances, 1600 Wall System 1 and Trifab 450 Sub-Framing, Entrance Details, Hurricane Impact - 1-5/16" Infill (Wet Glazed)




ENTRANCE-TRANSOM BAR-SINGLE
ACTING FOR CONCEALED
CLOSER-DETAIL-1
6" = 1'-0"




ENTRANCE-STD 6-1/2" BOTTOM
RAIL-SINGLE ACTING-DETAIL-2
6" = 1'-0"



ENTRANCE-MEETING STILE-DETAIL-4
6" = 1'-0"



ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH OFFSET PIVOT/BUTT
HINGE-DETAIL-3
6" = 1'-0"




ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH OFFSET PIVOT/BUTT
HINGE WITH SIDELITE-DETAIL-6
6" = 1'-0"


KAWNEER AN ARCONIC COMPANY

555 Guthridge Ct.
Technology Park/Atlanta
Norcross, GA 30092 USA
Tel: + 1 770 449 5555


KAWNEER
AN ARCONIC COMPANY




ENTRANCE-TRANSOM BAR-SINGLE
ACTING FOR CONCEALED
CLOSER-DETAIL-1
Ø = 1-0"



ENTRANCE - STD 6-1/2" BOTTOM
RAIL SINGLE ACTING-DETAIL-2
Ø = 1-0"




ENTRANCE-DOOR JAMB-SINGLE
ACTING WITH OFFSET PIVOT/BUTT
HINGE-DETAIL-3
Ø = 1-0"




ENTRANCE - MEETING STILE-DETAIL-4
Ø = 1-0"

KAWNEER AN ARCONIC COMPANY


555 Guthridge Ct.
Technology Park/Atlanta
Norcross, GA 30092 USA
Tel: + 1 770 449 5555



① 8-7/16\"/>



② PANELINE EXIT DEVICE
6\"/>



③ BOTTOM RAIL OPTION
6\"/>

KAWNEER AN ARCONIC COMPANY

555 Guthridge Ct.
Technology Park/Atlanta
Norcross, GA 30092 USA
Tel: + 1 770 449 5555